Arizona Poison and Drug Information Center

Poison Control 101

Laura Morehouse, MPH CHES Community Outreach Coordinator







Arizona Poison Center







- 1953: First center established in Chicago • 1955: Tucson center established

emergencies


(AAPCC)

Back in the Day...

- Purpose: Front line responders to poison
- American Association of Poison Control Centers

National Poison Data System (NPDS)

- A near real-time snapshot of poison call conditions nationwide
- The only nationwide poisoning surveillance database in the US
- Combined effort between AAPCC and the CDC





Poison Help Line

1-800-222-1222

 Poison Control Enhancement and Awareness Act (2000) • Funding to create single toll-free number • Routed by area code

Poison control at your fingertips.

Text POISON to 797979 to add poison control as a contact in your mobile phone.











Poisonings can happen to anyone, so poison centers are for everyone

How do poison centers help?

- Open 24/7/365
- Free
- Confidential
- Over 150 languages
- Medical experts




Arizona Poison Center

- >30,000 calls/year
 - 60% of calls are poisoning cases
 - 40% of calls are information requests
- Serves 14 counties in Arizona • All counties except Maricopa, which is served by a separate poison center

Services







Research

Healthcare Providers **Public Education**





Emergency

Preparedness

Toxicology Teaching Site



- Approximately 70% of PCC cases are managed at home.
- Of those, 70% would have gone to the ER is a poison center was unavailable

Total savings: \$26 million/year

Other savings:


- Shorter hospital stay
- Less work-loss days
- In-person outreach

Cost Benefits

Impact for Older Adults

- Drug safety counseling
- Exposure management
- Cannabis safety





Over 2,200 exposures involving older adults (65+) are reported annually to the AzPDIC.

Over 6,700 drug information calls handled by our pharmacists annually.

By the Numbers

Drug Safety Counseling

What information do we provide?

- Drug-drug interactions
- Unsafe medications in older adults (Beers Criteria)
- Home and hospital management
- Adverse drug events

Home & Hospital Management Accidental extra doses

Keep safe ingestions out of the emergency department

Send unsafe medication errors to emergency department

Save costs for patients and insurance companies

Potentially life-saving management



Adverse Drug Effects


- overdoses
- hospitalizations
 - Warfarin
 - Insulin
 - Oral antiplatelet agents
 - Oral hypoglycemic agents

Between 2007-2009, an estimated 99,628 ADE-related hospitalizations occurred annually among individuals 65+

Two thirds of hospitalizations were due to unintentional

Four medication classes were implicated in 67% of

Budnitz DS et. al., Emergency hospitalizations for adverse drug events in older Americans



Cannabis Safety

One of the few sources offering drug-drug interaction information for cannabis and prescription and over-the-counter medication.

Approximately 63,658 adults (60+) in Arizona have a medical marijuana card.

Likely even more try recreationally.

Adverse drug reactions are responsible for 3-10% of all hospitalizations annually among older patients.

https://www.uptodate.com/contents/drug-prescribing-for-older-adults



Contact Information:

Questions?

Laura Morehouse

morehouse@pharmacy.arizona.edu

(520) 626-6165